

Georgia Department of Natural Resources

205 Butler Street, SE, Suite 1066, Atlanta, Georgia 30334

Lonice C. Barrett, Commissioner

Environmental Protection Division

Harold F. Reheis, Director

404/657-8831

March 20, 1998

Mr. Kirk Mitchell, Vice President
Technology & Development
BioLab
Post Office Box 1489
Decatur, Georgia 30031-1489

**CERTIFIED MAIL
RETURN RECEIPT REQUESTED**

SUBJECT: **NOTICE OF VIOLATION**
BioLab
Decatur, DeKalb County
EPA ID # GAD003286218

Dear Mr. Mitchell:


On February 20, 1998, Greg Thomas of the Generator Compliance Program conducted a compliance evaluation inspection of the referenced facility. Hazardous waste generators in Georgia are required to comply with Georgia's Hazardous Waste Management Act (O.C.G.A. 12-8-60 et seq.), the Georgia Rules of Hazardous Waste Management (Chapter 391-3-11), and the federal regulations adopted by reference. A violation of the Act and Rules, Chapter 391-3-11-.08 and the regulations, Title 40 of the Code of Federal Regulations, Part 262, was observed during the inspection:

40 CFR 262.12 - facility was a Large Quantity Generator of hazardous waste in February, 1998 and failed to notify as a Large Quantity Generator of hazardous waste.

This violation is required to be corrected immediately. A written response documenting how this violation has been corrected should be submitted no later than **April 17, 1998**. Please find enclosed a copy of the Generator Inspection Report.

Please direct inquiries and correspondence on this subject to Greg Thomas at (404)657-8831. Thank you for your cooperation in this matter.

Sincerely,



Jack N. Dempsey
Unit Coordinator
Generator Compliance Unit

JND/GTT/gat
Enclosure (1): Generator Inspection Report
c: Renée Hudson Goodley
Jeffrey T. Pallas, EPA
File: BioLab, Decatur
R:\greg\biolab.nov

10114953

